



RF Solution offer a wide selection of Band Stop Filter for global customers. BSF-2110M2170A-S is a Band Stop Filter in Rejection Band of 2110~2170 MHz. It is made of high quality materials under a high standard, the Pass Band of this product is DC~2090MHz / 2190~6000MHz, Insertion Loss Max is 2.0 dB and Rejection Min is 60 dB. The component has a good working performance and stability, it is ideal for handling a Rated Power of 50 W.

Product Details

| | |
|-------------|--------------------------------|
| Part Number | BSF-2110M2170A-S |
| Description | 2110~2170 MHz Band Stop Filter |

General Parameters

| | |
|-----------------------|---------------------------|
| Rejection Band | 2110~2170 MHz |
| Pass Band | DC~2090MHz / 2190~6000MHz |
| Insertion Loss Max | 2.0 dB |
| Rejection Min | 60 dB |
| Rated Power | 50 W |
| VSWR Max | 2.00 |
| Impedance | 50 Ω |
| Connector Type | SMA-F |
| Size | 188*22*32 mm |
| Surface Finishing | Black Painting |
| Operating Temperature | 0~+60 °C |
| Storage Temperature | -55~+85 °C |
| ROHS Compliant | Yes |

Outline Drawing (mm)

