



RF Solution offer a wide selection of Flanged Resistor for global customers. RFTXX-500RM3213 is a Flanged Resistor in Capacitance of 8.5 PF@100Ω. It is made of high quality materials under a high standard, the Resistance of this product is XX Ω (10~1000Ω Customizable), Resistance Tolerance is $\pm 5\%$ and Temperature Coefficient Max is 150 ppm/°C. The component has a good working performance and stability, it is ideal for handling a Power of 500 W.

Product Details

| | |
|-------------|--|
| Part Number | RFTXX-500RM3213 |
| Description | Capacitance 8.5 PF@100Ω Flanged Resistor |

General Parameters

| | |
|-----------------------------|------------------------------|
| Capacitance | 8.5 PF@100Ω |
| Resistance | XX Ω (10~1000Ω Customizable) |
| Resistance Tolerance | $\pm 5\%$ |
| Temperature Coefficient Max | 150 ppm/°C |
| Power | 500 W |
| Size | Refer to the design drawing |
| Weight | / |
| Substrate Material | BeO |
| Cover | AL2O3 |
| Mounting Flange | Brass |
| Lead | Copper silver plating |
| Resistive Element | Thick Film |
| Operating Temperature | -55~+150 °C |
| ROHS Compliant | Yes |



Outline Drawing (mm)

